UNIGLOVES®

product guide

KEEPING YOU SAFE

our vision



We believe in a world that everyone has the right to lead a safe and healthy life, protected from unnecessary risks. **Our vision is to create that world**

UNIGLOVES®
KEEPING YOU SAFE

our approach



I'm often asked how a young business makes itself recognised in such a competitive market. It's one of my favourite questions and one I always answer in the same way.

"We never lose sight of the fact that our business is all about our customers"

By understanding both our distributors' and our end users' needs, anticipating how they will evolve in the future, and focusing on hand protection solutions for them in the long-term, we can build on our vision.

Our mission is to improve peoples' safety and health both at work and home by providing protective products and services, so **our business is built upon the simple founding principle of Keeping You Safe.**

Of course, appreciating what matters most to an individual end user is just the start. We also invest in understanding the distribution chain. Both the big picture and the fine detail are important – that's why we pride ourselves in having a specialist sales team with experience across the markets we serve. They provide our end users with a unique lens on the glove world and allow us to work with them in visiting customers and gaining insight.

Delivering value to our customer chain demands innovative solutions to keep us ahead of our competition. That means we're tough with ourselves – designing, testing and manufacturing new products and ruthlessly discarding anything that doesn't measure up now or in the future.

Customer focus, specialist teams, innovative solutions – it's a simple story that you'll hear from our colleagues in every part of the Unigloves business. All three are work in progress – constantly developed, tuned and delivered for our customers now and for their future hand protection needs.

Chris Wahlers,
Managing Director, UK

Chris Wahlers

CHRIS WAHLERS
MANAGING DIRECTOR
UK

KEVIN ONAH
EXECUTIVE CHAIRMAN
UK

contents

01 OUR APPROACH

05 WHAT WE OFFER

04 WHO WE ARE

09 ACCREDITATIONS

10 EXPLANATION OF STANDARDS

16 TECHNOLOGIES

14 WORK GLOVE MATRIX

17 GENERAL HANDLING

23
CUT RESISTANT
41
SPECIALIST
33
CHEMICAL RESISTANT
45
DISPOSABLES
37
THERMAL
50
PRODUCT INDEX
B/Cover
HAND SIZE GUIDE

who we are

UG Healthcare Group

Our parent company, UG Healthcare Corporation, has been manufacturing high quality single use gloves since 1988 and is one of the world's leading glove manufacturers, producing over 130 gloves every second of every day. UG Healthcare Corporation is listed on the Singapore Stock Exchange with SGX Symbol 8K7.

Our products play a vital role in healthcare and personal protection around the world, so **our business is built upon the simple founding principle of Safety through Quality: quality products backed by quality service and support**.

Bona fide **manufacturer** with **4** factories in Malaysia

Annual output of **4** billion gloves with **future growth** under way

Group owned distributors on **5** continents

UK Business

The UK sales and marketing office supplies Unigloves-manufactured single use gloves to European wholesalers and retailers across multiple sectors, with a focus on the automotive aftermarket, the food industry, and the medical market. We are dedicated to helping our partners grow sales and margins. During the twelve months prior to the pandemic, we achieved an average revenue growth rate for our top partners of 20%. We help you select the best products for you and your market, and we support you with sales, marketing, logistics and technical and regulatory support.

- Partnership approach to customer relationships
- Single line business entirely focused on gloves
- Experienced team, structured for major account growth
- Simple, efficient and well-managed supply chain
- Ambition, passion and drive run through the business
- UK's widest stocked range of single use gloves
- Continuous improvement at the core of our business
- Cost controls paramount

Our product offering ranges from very low cost, entry level, economy medical gloves, through to market leading premium quality products of exceptional comfort, durability and performance.

what we offer

sales support

Dedicated Support
Dedicated, experienced sales support and internal buddy, to ensure your account is proactively managed, including joint visits to end users to enhance sales and margin.

Enterprise-Grade IT
Enterprise-grade IT system with customer centric features, to ensure you have accurate and reliable information on your business with us.

24/7 Access
Our full-function online account management platform is available 24/7 so you have always have instant access to your account and order history.

Factory Direct
Commercially competitive and consistent pricing; we pass on the benefits of our efficient supply chain to you.

marketing support

Supported Brand
Significant recent investment in brand and product collateral; expert help, tools and materials to promote our products and maximise your returns.

Product Samples
Prepacked sample sleeves; we bear the cost of sample requests and product trials so you don't have to.

Experienced Team
Experienced, industry savvy, marketing and design team, dedicated to providing you with professional support for joint online and offline marketing campaigns.

Digital
Digital marketing platform for web and social media marketing to provide greater reach to end users and to provide a steady stream of inbound enquiries.

technical support

Training
Product training from our experienced technical team, so you can equip your sales team with product knowledge and position them as the product experts.

Reliable Data
Detailed, reliable factory technical data; have confidence that you're selling the product you think you are.

New Product Development
Product development and innovation; differentiate a product often perceived to be a commodity by offering our first-to-market gloves.

Factory Support
Support from the factory team; direct communication with the factory's decision makers.

Contact Technical Support: technical@unigloves.co.uk

logistics support

We tailor our logistics to your requirements, whether it is cartons to multiple locations, pallet quantities to a distribution centre, or containers to a central hub

Century Logistics
Award winning logistics partners with an enviable 'on-time-in-full' track record so you can be confident products will arrive just in time.

Planning
Flexibility and low minimum order quantities, so you can optimise your orders and use your warehouse for higher margin opportunities.

High Stock Holdings
High stock holdings in UK and Malaysia to help mitigate and minimise supply chain risks.

Flexibility
Logistical flexibility: deferred stock; ring-fenced stock and forward orders; bespoke and specific ways to manage stock and consignments to give you competitive advantage.

distributors end users

Distributors

'We believe that getting our products into your warehouse is the start of our partnership, not the end.'

We build our relationship through:

- Our professional, North and South regional sales teams
- Our dedicated, UK based customer service team
- Our technical glove expertise
- Our suite of support materials

End Users

Unigloves only sells to Distributors and as the name suggests, end users are the ultimate user of our product range so it's important that we keep channels of communication open to them, so we can:

- gather feedback on our product range
- gather insights into how our products are used and to innovate and develop the next generation of hand protection solutions
- test new product ideas and enhancements
- audit work stations on site to be able to specify the best glove for the job

accreditations

	Unigloves (UK) Ltd	UG Healthcare Corporation Ltd
Business	**1.** Quality management system ISO 9001:2015 (ISOQAR) **2.** Health and safety management system ISO 45001:2007 (ISOQAR) **3.** Managed business continuity system (Continuity Partner)	**1.** Quality management system ISO 9001:2015 (BSI) **2.** Quality management system ISO 13485:2016 (BSI)
Products	**4.** British Safety Industry Federation Registered Safety Supplier **5.** MHRA Registered	**3.** EN374 Cat III certification (SATRA) **4.** EN1186 Food Testing (TUV)
Environment	**6.** Environmental management system ISO 14001:2015 (ISOQAR)	
Welfare	**7.** Labour standard system LSAS Level 2 (LRQA)	**5.** Social accountability standard SEDEX registered and SMETA audited

Certificate Number 9738
ISO 9001, ISO 14001, ISO 45001

explanation of standards

EN 388 glove standard explained

Abrasion

The abrasion test enables glove samples to be rubbed against a standard sandpaper. The machine is stopped at set intervals and the samples inspected for holes produced by rubbing.

Cut (coupe method)

The cut test uses a circular blade in a slicing action across the surface of the glove sample. The performance of the glove is measured relative to a piece of control fabric and the results calculated as a cutting index. This test has problems with high cut resistant fabrics, caused when the blade becomes blunt and is unable to cut through the control fabric. When this happens the cutting index either cannot be calculated or produces an obviously low result so when dulling of the blade reaches a prescribed level, the ISO cut test is used to determine cut resistance instead.

Tear

The test piece is trouser shaped so the test measures tear propagation, not tear creation. A tensometer is used to pull the "legs" apart.

Puncture

This test is sometimes mistaken as a measurement of resistance to needles, but the test actually measures the resistance of the material to puncture by a test stylus shaped like a blunt nail, it is a type of burst strength test.

Cut (ISO method)

The ISO cut test uses a straight edged blade to measure cut resistance, which is determined as the force required to cut within a given distance. As the blade has variable weights applied to it, this corresponds to a Newton (N) value. As the blade edge is used only once, this method has been found capable of measuring higher cut resistance values.

Impact resistance

This is based on the protective gloves for motorcycle riders tests and measures the force transmitted to the hand. In reality, the test looks like a weight being dropped onto a ladle.

Levels of performance

Test	Level 1	Level 2	Level 3	Level 4	Level 5
6.1 Abrasion resistance (number of rubs)	100	500	2 000	8 000	-
6.2 Coupe test:					
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0
6.4 Tear resistance (N)	10	25	50	75	-
6.5 Puncture resistance (N)	20	60	100	150	-

Levels of performance for materials tested with EN ISO 13997

	Level A	Level B	Level C	Level D	Level E	Level F
6.3 TDM: cut resistance (N)	2	5	10	15	22	30

Example of marking for the mechanical risks:

Example 1: **3 4 4 3 E P**
Example 2: **3 X 0 3 E**
Example 3: **3 2 0 3 X**

Explanation of the above examples

Example	1	2	3
Abrasion resistance (6.1)	Level 3	Level 3	Level 3
Cut resistance (6.2)	Level 4	Test not performed or not applicable	Level 2
Tear resistance (6.4	Level 4	Level 1 not achieved	Level 1 not achieved
Puncture (6.5)	Level 3	Level 3	Level 3
Cut resistance (6.3)	Level E	Level E	Test not performed
Impact protection	Achieved	Test not performed	Test not performed

Personal Protective Equipment regulations

Personal Protective Equipment (PPE) is designed to protect the user from hazards, the principal European legislation is the PPE Regulation (EU) 2016/425.

Our gloves certified under these regulations protect the user against common hazards found in industry: micro-organisms and chemical hazards. The main standards for gloves certified as PPE are listed below.

▷ EN ISO 374-1

This contains the terminology and performance requirements for chemical protective gloves including a list of 18 chemicals whose code letters can be used on the glove marking. Permeation testing is carried out using EN 16523-1. Three different types of performance level are defined:

▷ **Type A** gloves achieve level 2 or greater against 6 of the 18 chemicals

▷ **Type B** gloves achieve level 2 or greater against at least 3 of the 18 chemicals

▷ **Type C** gloves achieve at least level 1 against 1 of the 18 chemicals

CODE LETTER	CHEMICAL	CODE LETTER	CHEMICAL	CODE LETTER	CHEMICAL
A	Methanol	G	Diethylamine	M	Nitric acid 65%
B	Acetone	H	Tetrahydrofuran	N	Acetic acid 99%
C	Acetonitrile	I	Ethyl acetate	O	Ammonium hydroxide 25%
D	Dichloromethane	J	n-Heptane	P	Hydrogen peroxide 30%
E	Carbon disulphide	K	Sodium hydroxide 40%	S	Hydrofluoric acid 40%
F	Toluene	L	Sulphuric acid 96%	T	Formaldehyde 37%

▷ EN374-2

Penetration is the movement of a chemical through a material, seam, pinhole or other imperfection when tested to:
- the air leak test where a glove is inflated under water or
- the water leak test where a glove is filled with water In both tests, the glove shall not leak

▷ EN374-4

Degradation is a change in glove material, typically flaking, swelling, change in appearance, or hardening. The results are expressed in % where a positive number indicates the material is weaker after testing and a negative number indicates the material has harden during testing.

▷ EN374-5

This contains the terminology and performance requirements for protective gloves against microbiological agents - bacteria, virus or fungi. Penetration testing is required as per EN374-2, but gloves offering protection against viruses shall additionally pass a penetration test performed to ISO 16604:2004 determination of resistance of protective clothing materials to penetration by blood-borne pathogens.

▷ EN420 & EN ISO 21420

Defines the general requirements of gloves to comply with the PPE regulations.
These regulations and this standard is primarily concerned with **protecting the wearer.**

▷ EN1186

Food safe

In conjunction with Articles in Contact with Food regulations, defines the requirements of gloves in contact with food.

UKCA News

Post-Brexit, new glove markings called UKCA (UK Conformity Assessed) came into effect in the UK from the 1st of January, 2021. However, to allow businesses time to adjust, CE markings can be used until the 1st of January 2023. Unigloves is working with the UK Approved Bodies to ensure our PPE complies with CE and UKCA requirements; certification is already underway.

Medical device regulations

The Medical Devices Regulation (EU) 2017/745 governs our range of medical gloves and ensures products are safe for patients and users.

▷ EN455

Is a series of standards that define medical gloves and their requirements.
The medical device regulation and EN455 are primarily concerned with protecting the patient.

▷ Part 1

Requirements and testing for freedom from holes

Gloves must pass this test at AQL level 1.5 in order to prove that they are an effective barrier against micro-organisms.

▷ Part 2

Requirements and testing for physical properties

Gloves must meet set dimensions and physical strength depending on the material.

	Force at break (Newtons)
Latex	6.0
Nitrile	6.0
Vinyl	3.6

▷ Part 3

Requirements and testing for biological evaluation

Includes tests for potentially hazardous materials that may affect the wearer or be transferred to a patient, including endotoxins, latex proteins (can cause Type I reactions), chemical residues including accelerators (can cause Type IV reactions) and powder (powder free gloves should have a powder level of <2mg per glove).

▷ Part 4

Determination of shelf-life

Specifies tests for determining how long a glove will be fit for use. five years is the maximum shelf-life that can be claimed for medical gloves.

find out more at **unigloves.co.uk/resources**

Nitrex Range	PU	Nitrile	Foam Nitrile	NitreGrip® Technology	Latex	Palm Coated	3/4 Coated	Fully Coated	Double Dipped	Uncoated	General Handling	Cut
290B, 290G	✓					✓					✓	
250		✓				✓					✓	
250FC		✓						✓			✓	
270E			✓			✓					✓	
270NF				✓		✓					✓	
270NFP				✓			✓				✓	
270NFG			✓			✓					✓	
275BG					✓			✓			✓	✓
360FC				✓					✓		✓	
275D					✓	✓					✓	
245P	✓					✓						✓
241PF	✓					✓						✓
241OR	✓					✓						✓
241PC18	✓					✓						✓
245N				✓		✓						✓
241ND				✓		✓						✓
340RF			✓			✓						✓
242D			✓			✓						✓
340FCD				✓					✓			✓
244										✓		✓
247S										✓		✓
340RFI				✓								✓
613		✓						✓			✓	
612		✓						✓			✓	
440					✓			✓			✓	
680					✓			✓			✓	
645								✓			✓	
299T					✓	✓					✓	✓
370W			✓					✓			✓	✓
360FCT				✓					✓		✓	✓

Cut Level	NitreGuard® Technology	Liquid Resistant	Industrial Oils	Cold EN511	Heat EN407	Chemical EN374	Food Approved	Touch-screen Compat-ible	Thumb crotch Reinforce-ment	Impact protection on back of hand	Sanitized Actifresh
			✓				✓				
		✓	✓				✓				
			✓								
			✓				✓				
			✓				✓				
			✓								
B		✓									✓
		✓					✓				
D	✓										
F	✓										
B											✓
C											
D	✓		✓						✓		
D	✓		✓						✓		
D	✓		✓		✓			✓	✓		✓
D	✓	✓	✓					✓			
F	✓	✓	✓				✓				
D	✓						✓				
E	✓						✓				
C									✓	✓	
		✓	✓			✓	✓				
		✓	✓			✓	✓				
		✓			✓	✓	✓				
		✓				✓	✓				
		✓				✓	✓				
B				✓							✓
B		✓	✓	✓	✓						✓
B		✓	✓	✓			✓				

technologies

Sanitized® Hygiene and Odour Control Function

Glove users demand long-lasting odour control when they are wearing gloves to protect their hands. The Sanitized Hygiene and Odour Control Function is integrated within the glove, neutralising odours and reducing microbial growth. Gloves with this special feature are denoted with the Sanitized Actifresh logo. This article contains a biocidal product with the active substance zinc pyrithione.

NitreGrip® Technology

NitreGrip Technology occurs in the Nitrex range of gloves that feature a new, advanced surface treatment that provides a secure grip when working in wet and oily conditions and maintains its quality when used in the dry. The sandy nitrile gives an assured grip finish on the nitrile's surface, comparable to a suction cup that attaches itself firmly to the material being handled. The surface treatment reduces the force needed to grip and allows the glove to stay soft and therefore comfortable, which reduces hand fatigue.

NitreGuard® Technology

NitreGuard Technology is associated with Nitrex gloves for use in areas with a high cut risk. The technology is related to Nitrex gloves scoring cut levels D to F, only awarded to gloves achieving a straight blade cut resistance of ≥15 Newtons (EN388:2016). Gloves featuring NitreGuard Technology are recommended for use in industries working with glass, sharp metal objects, sharp edges, etc.

general handling

- Page 18 Nitrex 290B
- Page 18 Nitrex 290G
- Page 18 Nitrex 360FC
- Page 19 Nitrex 270NF
- Page 20 Nitrex 270NFP
- Page 21 Nitrex 270NFG
- Page 21 Nitrex 250
- Page 21 Nitrex 250FC
- Page 22 Nitrex 270E
- Page 22 Nitrex 275D
- Page 22 Nitrex 275BG

Nitrex 290B

PU palm coated · 13 gauge seamless liner · breathable abrasion resistant



Features
- Medium weight seamless polyester liner
- Breathable palm coating
- Abrasion resistant
- Polyurethane / PU palm coating

Sectors
- Construction
- Electrician
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- General Maintenance

CE EN388 3121X

UKCA

Order Codes | Sizing:
290B/06 |6
290B/07 | 7
290B/08 | 8
290B/09 | 9
290B/10 | 10
290B/11 | 11

Packaging:
10 pairs per polybag
100 pairs per case

Nitrex 290G

PU palm coated · 13 gauge seamless liner · breathable abrasion resistant

Features
- Medium weight seamless polyester liner
- Breathable palm coating
- Abrasion resistant
- Polyurethane / PU palm coating

Sectors
- Construction
- Electrician
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- General Maintenance

CE EN388 3121X

UKCA

Order Codes | Sizing:
290G/06 |6
290G/07 | 7
290G/08 | 8
290G/09 | 9
290G/10 | 10
290G/11 | 11

Packaging:
10 pairs per polybag
100 pairs per case

Nitrex 360FC

fully coated, double-dipped nitrile 15 gauge seamless liner · dual coating ideal for oily applications NitreGrip® Technology

Features
- Featuring Unigloves NitreGrip Technology
- Light weight seamless nylon liner
- Flat nitrile full coating with sandy nitrile palm coating
- Full coating (FC) on the glove
- Excellent abrasion protection
- Food approved

Sectors
- Transport and Logistics
- Construction & Utility
- Manufacturing & engineering
- Waste management
- Local Authority
- Maintenance
- Oil & Gas
- Food processing

CE EN388 4121X Food Safe (except with acidic foods)

UKCA

NitreGrip® Technology

Order Codes | Sizing:
360FC/07 | 7
360FC/08 | 8
360FC/09 | 9
360FC/10 | 10
360FC/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 270NF

sandy nitrile palm coated · 15 gauge seamless liner
abrasion resistant · durable coating
NitreGrip® Technology

NitreGrip® Technology

Features
- Featuring Unigloves NitreGrip Technology
- 15 gauge seamless nylon liner
- Abrasion and oil resistant sandy nitrile palm coating
- Food approved

Sectors
- Transport and Logistics
- Construction & Utility
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- Waste Management and Local authority

Order Codes | Sizing:
270NF/06 |6
270NF/07 | 7
270NF/08 | 8
270NF/09 | 9
270NF/10 | 10
270NF/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
10 master polybags per case

EN388
3131X

Nitrex 270NFP

sandy nitrile ¾ coated · 15 gauge seamless liner · back of hand protection · excellent abrasion · NitreGrip® Technology

NitreGrip® Technology

Features
- Featuring Unigloves NitreGrip Technology
- 15 gauge seamless nylon liner
- ¾ sandy nitrile coating
- Abrasion resistant
- Food approved

Sectors
- Construction & Utility
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- Waste Management and Local authority

Order Codes | Sizing:
270NFP/06 |6
270NFP/07 | 7
270NFP/08 | 8
270NFP/09 | 9
270NFP/10 | 10
270NFP/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
10 master polybags per case

EN388 3131X

Nitrex 270NFG

foam nitrile palm coating with dots 15 gauge seamless liner · superior wet and dry grip

Features
- Light weight seamless nylon liner
- Foam nitrile coating
- Coated with nitrile dots
- Excellent abrasion protection

Sectors
- Aerospace • Automotive
- Construction • Manufacturing
- Electronics • Light Engineering
- Warehousing • Maintenance

EN388 4121X

Order Codes | Sizing:
270NFG/06 | 6
270NFG/07 | 7
270NFG/08 | 8
270NFG/09 | 9
270NFG/10 | 10
270NFG/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
10 master polybags per case

Nitrex 250

nitrile palm coated · 13 gauge seamless liner · close fitting abrasion resistance

Features
- Medium weight seamless polyester liner
- Nitrile coating
- Resistant to abrasion
- Food approved

Sectors
- Construction • Automotive
- Engineering and Manufacturing
- Warehousing • Transport and Logistics
- General Maintenance
- Light engineering

EN388 3121X

Food Safe (except with acidic foods)

Order Codes | Sizing:
250/06 | 6 250/09 | 9
250/07 | 7 250/10 | 10
250/08 | 8 250/11 | 11

Packaging:
10 pairs per polybag
100 pairs per case

Nitrex 250FC

nitrile fully coated · 13 gauge seamless liner · close fitting abrasion resistance

Features
- Medium weight seamless polyester liner
- Nitrile coating
- Resistant to abrasion
- Food approved

Sectors
- Construction • Automotive
- Engineering and Manufacturing
- Warehousing • Transport and Logistics
- General Maintenance
- Light engineering

EN388 3121X

Food Safe (except with acidic foods)

Order Codes | Sizing:
250FC/06 | 6 250FC/09 | 9
250FC/07 | 7 250FC/10 | 10
250FC/08 | 8 250FC/11 | 11

Packaging:
10 pairs per polybag
100 pairs per case

Nitrex 270E

foam nitrile palm coated · 15 gauge seamless liner · abrasion resistant · excellent grip

Features
- Light weight seamless polyester liner
- Foam nitrile palm coating
- Moisture wicking foam nitrile surface
- Abrasion protection

Sectors
- Aerospace
- Automotive
- Construction
- Manufacturing
- Electronics
- Light Engineering

CE EN388 3121X

UKCA

Order Codes | Sizing:
270E/06 |6
270E/07 | 7
270E/08 | 8
270E/09 | 9
270E/10 | 10
270E/11 | 11

Packaging:
10 pairs per polybag
100 pairs per case

Nitrex 275D

foam latex palm coated · 15 gauge seamless liner · close fitting · dexterous

Features
- Light weight seamless liner
- Seamless nylon and Spandex® liner
- Soft foam latex coating
- Ideal for dry and damp environments

Sectors
- Construction
- Maintenance
- Warehousing
- Engineering
- Manufacturing

CE EN388 2122X

UKCA

Order Codes | Sizing:
275D/07 | 7
275D/08 | 8
275D/09 | 9
275D/10 | 10

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 275BG

crinkle latex fully coated · general handling · brushed jersey liner · ideal for wet environments · abrasion resistant · Sanitized® Actifresh

Features
- Featuring Sanitized Hygiene and Odour Control Function
- Jersey cotton liner
- Crinkled latex finish
- Fully coated crinkled finish
- Abrasion protection

Sectors
- Construction & Utility
- Waste management
- Local Authority
- Maintenance
- Gardening
- Timber

CE EN388 1131B Sanitized Actifresh

UKCA

Order Codes | Sizing:
275BG/08 | 8
275BG/09 | 9
275BG/10 | 10

Packaging:
10 pairs per polybag
100 pairs per case

cut resistant

- Page 24 Nitrex 241PF
- Page 25 Nitrex 245P
- Page 25 Nitrex 241OR
- Page 26 Nitrex 241PC18
- Page 27 Nitrex 241ND
- Page 27 Nitrex 245N
- Page 28 Nitrex 340FCD
- Page 29 Nitrex 340RF
- Page 29 Nitrex 340RFI
- Page 30 Nitrex 242D
- Page 32 Nitrex 244
- Page 32 Nitrex 247S

Nitrex 241PF

PU palm coated · 13 gauge seamless liner · cut resistant level F - maximum cut protection · NitreGuard® Technology

NitreGuard® Technology

Features
- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless nylon liner with HPPE and dual core steel
- Cut resistant level F
- PU palm coating
- Excellent abrasion and tear properties
- Ideal for dry environments

Sectors
- Metal works
- Assembly
- Automotive
- Glass Manufacturing
- Bottling
- Steel Fabrication
- Construction
- Utility
- Maintenance
- Recycling

Order Codes | Sizing:
241PF/07 | 7
241PF/08 | 8
241PF/09 | 9
241PF/10 | 10

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

CE UKCA EN388 4X43F

Nitrex 245P

PU palm coated · 13 gauge seamless liner · cut resistant D - high cut protection · dexterous for close fitting applications · NitreGuard® Technology

Features
- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless polyester / nylon blend liner with HPPE
- PU palm coating
- Good abrasion protection
- Elasticated knitted wrist

Sectors
- Construction
- Maintenance
- Metal Processing
- Engineering
- General Manufacturing
- Glass Manufacturing
- Injection moulding

EN388
4X43D

NitreGuard® Technology

Order Codes | Sizing:
245P/07 | 7
245P/08 | 8
245P/09 | 9
245P/10 | 10
245P/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 241OR

PU palm coated · 15 gauge seamless liner · cut resistant level B easily identifiable colour · excellent dry grip · Sanitized® Actifresh

Features
- Featuring Sanitized Hygiene and Odour Control Function.
- 15 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- PU palm coating
- Excellent abrasion and tear properties
- Ideal for dry environments
- Orange liner

Sectors
- Construction
- Automotive
- Utility
- Engineering
- Manufacturing
- Warehousing,
- Transport and Logistics
- Local authority

EN388
3X42B

Sanitized Actifresh

Order Codes | Sizing:
241OR/07 | 7
241OR/08 | 8
241OR/09| 9
241OR/10 | 10
241OR/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 241PC18

PU palm coated · 18 gauge seamless liner · cut resistant level C · breathable · ultra-lighweight

Features
- 18 gauge seamless nylon / Spandex® liner with HPPE, encapsulated glass fibre and steel
- Cut resistant level C
- PU palm coating
- Excellent abrasion and tear properties
- Ideal for dry environments
- Elasticated knitted wrist

Sectors
- Construction
- Automotive
- Utility
- Engineering
- Manufacturing
- Warehousing,
- Transport and Logistics
- Local authority

Order Codes | Sizing:
241PC18/06 | 6
241PC18/07 | 7
241PC18/08 | 8
241PC18/09 | 9
241PC18/10 | 10
241PC18/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

EN388
4X42C

Nitrex 241ND

sandy nitrile palm coated · 18 gauge seamless liner · cut resistant level D · reinforced thumb crotch · NitreGuard® Technology NitreGrip® Technology

Features
- Featuring Unigloves NitreGuard and NitreGrip Technology
- 18 gauge seamless nylon / Spandex® liner with HPPE, encapsulated glass fibre and a steel core
- Cut resistant level D
- Sandy nitrile palm coating
- Excellent abrasion and tear properties
- Reinforced thumb crotch
- Elasticated knitted wrist

Sectors
- Aerospace • Assembly
- Automotive • Construction
- Engineering • Glass handling
- Local authority • Recycling
- Mechanics • Railway maintenance
- Transportation • Utilities
- Brewery • Timber

EN388 4X42D

NitreGuard® Technology

NitreGrip® Technology

Order Codes | Sizing:
241ND/07 | 7
241ND/08 | 8
241ND/09 | 9
241ND/10 | 10
241ND/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 245N

sandy nitrile palm coated · 13 gauge seamless liner · cut resistant level D · reinforced thumb crotch · NitreGuard® Technology NitreGrip® Technology

Features
- Featuring Unigloves NitreGuard Technology
- Featuring Unigloves NitreGrip Technology
- 13 gauge seamless polyester / nylon liner with HPPE, basalt and steel
- Cut resistant level D
- Sandy nitrile palm coating
- Excellent abrasion and tear properties
- Reinforced thumb crotch
- Elasticated knitted wrist

Sectors
- Aerospace • Assembly • Automotive
- Construction • Engineering
- Glass handling • Local authority
- Recycling • Mechanics • Utilities
- Railway maintenance • Transportation
- Brewery • Timber • Manufacturing
- Warehousing • Transport and Logistics • Local authority

EN388 4X43D

NitreGuard® Technology

NitreGrip® Technology

Order Codes | Sizing:
245N/07 | 7
245N/08 | 8
245N/09 | 9
245N/10 | 10
245N/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 340FCD

double-dipped nitrile · 15 gauge seamless liner · cut resistant level F - maximum cut protection · dual coating · NitreGuard® Technology · NitreGrip® Technology

Features
- Featuring Unigloves NitreGuard Technology
- Featuring Unigloves NitreGrip Technology
- 15 gauge seamless nylon liner with HPPE, encapsulated glass fibre and steel core
- Cut resistant level F
- Dual nitrile coating
- Sandy nitrile palm coating
- Excellent abrasion and tear properties
- Elasticated knitted wrist
- Food approved

Sectors
- Construction
- Engineering
- Glass handling
- Local authority
- Recycling
- Manufacturing
- Railway maintenance
- Transportation
- Utilities
- Brewery
- Food
- Fisheries

Order Codes | Sizing:
340FCD/06 | 6
340FCD/07 | 7
340FCD/08 | 8
340FCD/09 | 9
340FCD/10 | 10
340FCD/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

EN388 4X42F

Food Safe (except with acidic foods)

Nitrex 340RF

foam nitrile palm coated · 13 gauge seamless liner · cut resistant level D · touch screen compatible reinforced thumb crotch · NitreGuard® Technology · Sanitized® Actifresh

Features
- Featuring Unigloves NitreGuard Technology
- Featuring Sanitized Hygiene and Odour Control Function
- 13 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- Cut resistant level D
- Foam nitrile palm coating
- Excellent abrasion and tear properties
- Reinforced thumb crotch
- Touch screen compatible
- Contact heat resistant

Sectors
- Aerospace
- Assembly
- Automotive
- Construction
- Engineering
- Glass handling
- Local authority
- Recycling
- Mechanics
- Railway maintenance
- Transportation
- Utilities
- Brewery
- Timber

EN388 4X43D
EN407 X1XXXX
NitreGuard® Technology
Sanitized Actifresh

Order Codes | Sizing:
340RF/07 | 7
340RF/08 | 8
340RF/09 | 9
340RF/10 | 10
340RF/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 340RFI

sandy nitrile palm coated · 13 gauge seamless liner · cut resistant level C · back of hand TPE impact material padded palm for increased comfort · NitreGrip® Technology

Features
- Featuring Unigloves NitreGrip Technology
- 13 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- Cut resistant level C
- Sandy nitrile palm coating
- Palm padding
- Extensive back of hand TPE protection
- Hook and loop wrist
- Reinforced thumb crotch

Sectors
- General Maintenance • Oil and Gas
- Machine handling • Industrial Laundry
- Glass industry • Scaffolding • Mining and Aggregates • Construction • Shipping
- Warehouse • Brewery work • Recycling
- Transportation • Utilities • Timber

EN388 4X42C
NitreGrip® Technology

Order Codes | Sizing:
340RFI/07 | 7
340RFI/08 | 8
340RFI/09 | 9
340RFI/10 | 10

Packaging:
1 pair per polybag
10 pairs per case

Nitrex 242D

foam nitrile / PU palm coating · hydrophobic treated 13 gauge seamless liner · cut resistant level D · touch screen compatible · liquid repellent · NitreGuard® Technology

NitreGuard® Technology

Features
- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- Cut resistant level D
- Foam nitrile / PU flexible palm coating
- Hydrophobic treatment
- Touch screen compatible
- Elasticated knitted wrist

Sectors
- Construction
- Engineering
- Glass handling
- Local authority
- Recycling
- Manufacturing
- Railway maintenance
- Transportation
- Utilities
- Brewery
- Fisheries

Hydrophobic treatment

Order Codes | Sizing:
242D/06 | 6
242D/07 | 7
242D/08 | 8
242D/09 | 9
242D/10 | 10
242D/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

CE UKCA EN388 4X42D

Covered Patio
9'-0" x 32'-10"
12' ceiling
Nook
12'-0" x 12'-4"
12' ceiling
Master Bedroom
17'-0" x 15'-10"
boxed ceiling
Bed 2
12' x 12'
media center
Family Room
20'-4" x 20'-0"
12' ceiling
Kitchen
14'-2" x 18'-0"
12' ceiling
Master Bath
Bed 3
12' x 12'
Game Room
14'-0" x 14'-6"
skylight
pantry
Mud Room
Utility
Bath
Study
14'-0" x 12'-0"
12' ceiling
Foyer
Dining
12'-0" x 13'-8"
12' ceiling
Three Car Garage
22'-0" x 33'-8"
Bed 4
12' x 12'
storage
Covered Porch

Nitrex 244

10 gauge seamless HPPE liner in blue · cut resistant level D ambidextrous · food approved · low linting · NitreGuard® Technology

Features
- Featuring Unigloves NitreGuard Technology
- 10 gauge seamless polyester liner with HPPE and encapsulated glass fibre
- Cut resistant level D
- Ambidextrous
- Low linting
- Food approved

Sectors
- Food

EN388 3X43D

NitreGuard® Technology

Order Codes | Sizing:
244/06 | 6
244/07 | 7
244/08 | 8
244/09 | 9
244/10 | 10
244/11 | 11

Packaging:
1 piece per polybag
50 polybags per case

Nitrex 247S

18" (45cm) cut resistant 13 gauge sleeve · cut resistant level E Velcro® fastener · thumb slot · soft comfortable knit NitreGuard® Technology

Features
- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless knitted sleeve with HPPE and encapsulated glass fibre
- Cut resistant level E
- Velcro fastener
- Thumb slot
- Food approved

Sectors
- Construction • Maintenance
- Automotive • Metal Fabrication
- Glazing • Construction & Utility
- Engineering and Manufacturing
- Transport and Logistics
- Manufacturing
- Food
- Recycling

EN388 1X41E

NitreGuard® Technology

Order Codes | Sizing:
247S | 18''

Packaging:
1 sleeve per polybag
10 sleeves per master polybag
3 master polybags per case

VELCRO® is a registered trademark of Velcro Industries B.V.

chemical resistant

Page 34 Nitrex 613
Page 34 Nitrex 612
Page 35 Nitrex 440
Page 36 Nitrex 680
Page 36 Nitrex 645



Nitrex 613

flock lined nitrile gauntlet · medium weight · resistant to chemicals abrasion protection · wet and dry grip · approved for food use

Features
- Flock lined nitrile gauntlet 33cm long
- Good abrasion protection
- Ergonomically shaped
- Food approved
- Resistance to a range of a wide range of chemicals, strong detergents, oils and solvents
- Diamond textured grip pattern on palm

Sectors
- Food
- Automotive
- Engineering
- Local authority
- Recycling
- Utilities
- Janitorial
- Chemical

CE 0598 EN388 3101X

UK CA

EN ISO 374-1: 2016 Type A JKLMNOPST

EN ISO 374-5: 2016

Order Codes | Sizing:

613/06 | 6	613/09 | 9
613/07 | 7	613/10 | 10
613/08 | 8	613/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
10 master polybags per case



Nitrex 612

unlined nitrile gauntlet · resistant to chemicals · light weight and ergonomic design · wet and dry grip · approved for food use

Features
- Nitrile gauntlet 33cm long
- Offers good protection against abrasion
- Ergonomically shaped
- Food approved
- Resistance to a range of a range of chemicals, detergents, oils and solvents
- Diamond textured grip pattern on palm

Sectors
- Oil and Chemical Processing,
- Laboratory
- Electronics
- Food Processing
- Metal Fabrication
- Agriculture
- Automotive Industry

CE 0598 EN388 2001X

UK CA

EN ISO 374-1: 2016 Type A JKLOPST

EN ISO 374-5: 2016

Order Codes | Sizing:

612/06 | 6	612/09 | 9
612/07 | 7	612/10 | 10
612/08 | 8	612/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
10 master polybags per case

Nitrex 440

jersey cotton lined latex gauntlet · heavy weight · chemical & heat resistant · slip-resistant palm · approved for food use

Features
- Heavy duty jersey cotton lined latex 30cm gauntlet
- Ergonomically shaped
- Excellent grip
- Food approved
- Chemical resistant
- Contact heat resistant

Sectors
- Janitorial
- Cleaning
- Construction and prep work/ ground work
- Maintenance
- Food
- Waste Management
- Local Authority

Order Codes | Sizing:
440/07 | 7
440/08 | 8
440/09 | 9
440/10 | 10
440/10 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

CE 0598

UKCA

Food Safe (except with acidic foods)

EN388
4131X

EN ISO 374-1: 2016 Type A
AKLMNPST

EN ISO 374-5: 2016

EN407
X2XXXX

Nitrex 680

flock lined latex gauntlet · heavy weight with good dextrity resistant to chemicals · diamond textured grip pattern approved for food use

Features
- Heavy duty flock lined latex gauntlet
- Chlorinated surface
- Ergonomically shaped
- Diamond textured grip pattern on palm
- Food approved
- Chemical resistance
- Beaded cuff

Sectors
- Janitorial
- Cleaning
- Maintenance
- Kitchen Work
- Waste Management
- Food
- Local Authority
- Chemical

CE 0598 EN388 3111X

UK CA

EN ISO 374-1: 2016 Type A AKLMNOPT

EN ISO 374-5: 2016

Order Codes | Sizing:
680/06 | 6
680/07 | 7
680/08 | 8
680/09 | 9
680/10 | 10

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 645

latex flock lined gauntlet · medium weight · slip resistant pattern ergonomic design · suitable for use with food

Features
- Medium weight gauntlet
- Flock lined latex
- Honeycomb grip on palm
- Ergonomically shaped
- Food approved
- Resistant to a number of chemicals and cleaning agents

Sectors
- Janitorial
- Cleaning
- Maintenance
- Kitchen Work
- Waste Management
- Food
- Local Authority

CE 0598 EN388 1010X

UK CA

EN ISO 374-1: 2016 Type A KLMNPST

EN ISO 374-5: 2016

Order Codes | Sizing:
645/06 | 6
645/07 | 7
645/08 | 8
645/09 | 9
645/10 | 10

Packaging:
1 pair per polybag
10 pairs per master polybag
10 master polybags per case

thermal

Page 38 Nitrex 370W

Page 40 Nitrex 360FCT

Page 40 Nitrex 299T

Nitrex 370W

foam nitrile fully coated · acrylic thermal lined · cold and heat protection · 360° liquid protection · hi viz for increased visibility
Sanitized® Actifresh

Features
- Featuring Sanitized Hygiene and Odour Control Function
- Nylon and Spandex® liner with acrylic terry-brushed inner
- Cut resistant level B
- Ultrathin full dip foam nitrile coating
- Cold and heat protection
- Hi viz yellow
- Excellent dry and super wet grip

Sectors
- Cold Storage
- Outdoor Construction
- Warehouse
- General Maintenance

Order Codes | Sizing:
370W/07 | 7
370W/08 | 8
370W/09 | 9
370W/10 | 10
370W/11 | 11

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

CE EN388 4232B EN3511 020 EN407 X1XXXX
UK CA

Nitrex 360FCT

double-dipped sandy nitrile thermal glove · brushed acrylic liner hi viz for increased visibility · dual coating · NitreGrip® Technology

Features
- Featuring Unigloves NitreGrip Technology
- Double lined brushed acrylic thermal inner
- Dual nitrile coating
- Sandy nitrile palm coating
- Hi viz yellow
- Excellent dry, wet and oily grip
- Elasticated knitted wrist
- Food approved

Sectors
- Cold Storage
- Outdoor Construction
- Precision Works
- General Maintenance
- Engineering
- Warehousing

EN388 3321X
EN3511 X21
NitreGrip® Technology
Food Safe (except with acidic foods)

Order Codes | Sizing:
360FCT/07 | 7
360FCT/08 | 8
360FCT/09 | 9
360FCT/10 | 10
360FCT/11 | 11
360FCT/12 | 12

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Nitrex 299T

crinkle latex palm coated · warm fleeced thermal liner · excellent wet and dry grip · flexible · Sanitized® Actifresh

Features
- Featuring Sanitized Hygiene and Odour Control Function
- Seamless knitted fleece liner
- Crinkle latex coating
- Elasticated knitted wrist

Sectors
- Outdoor Construction
- General Maintenance
- Warehousing

EN388 2141B
EN3511 01X
Sanitized Actifresh

Order Codes | Sizing:
299T/08 | 8
299T/09 | 9
299T/10 | 10

Packaging:
1 pair per polybag
10 pairs per master polybag
6 master polybags per case

specialist

- Page 42 Sibille Electrical Insulating Arc Flash Gloves Class 00 - Class 4 | GCA*
- Page 43 Sibille Electrical Insulating Gloves Class 00 - Class 4 | GLB*
- Page 44 Sibille RGX-SG Leather Over Gloves
- Page 44 Sibille RGX-VP Portable Inflator
- Page 44 Sibille RGX-SAC Protective Bag
- Page 44 Sibille RGX-FT Talcum Powder
- Page 44 Sibille RGX-GCT Cotton Under Gloves
- Page 44 Sibille RGX-MC Fingerless Cotton Under Gloves
- Page 44 Sibille RGX-BG Insulating Gloves Storage Case
- Page 44 Sibille RGX-BGT Insulating Gloves Storage Case + Talcum Powder
- Page 44 Sibille RGX-SGL Protective Bag - Extra Long
- Page 44 Sibille RGX-1704 Rubber Cleaning Fluid

Sibille Electrical Insulating Arc Flash Gloves Class 00 - Class 4 (GCA*)

latex electrical insulating arc flash and grip gloves · protection against electrical and arc flash hazards · ergonomic shape 2-colour safety system

Features
- Electrical insulating and arc flash and grip gloves, 3-in-1 protection
- Unique rubber compound formulation
- 2 colour system
- Tested to EN 60903, IEC 60903 and IEC 61482-1-2 Class 2
- Comes with Sibille Fingerless Cotton Under Gloves
- Available in size 6* - 12

**size 6 available in class 00 and class 0 only*

CE 0333
EN 60903
IEC 60903
IEC 61482-1-2

Sectors
- Utilities
- Construction
- Automotive
- Rail

Packaging:
1 pair per polybag

Class	Thickness max (mm)	Proof test voltage (V) / AC	Max operating voltage (V) / AC	IEC 61482-1-2	ATPV (cal/cm²) ASTM F2675
00	< 2,4	2 500	500	Class 2 (0.5s – 7kA)	26.3 cal/cm²
0	< 2,9	5 000	1 000		71,6 cal/cm²
1	< 3,4	10 000	7 500		42.2 cal/cm²
2	< 3,9	20 000	17 000		74,5 cal/cm²
3	< 4.2	30 000	26 500		73,2 cal/cm²
4	< 4,8	40 000	36 000		87,7 cal/cm²

Order Codes | Sizing:

Class	Length (cm)	Sizes 6	7	8	9	10	11	12
00	36	GCA00-36/6	GCA00-36/7	GCA00-36/8	GCA00-36/9	GCA00-36/10	GCA00-36/11	GCA00-36/12
0	41	GCA0-41/6	GCA0-41/7	GCA0-41/8	GCA0-41/9	GCA0-41/10	GCA0-41/11	GCA0-41/12
1	41		GCA1-41/7	GCA1-41/8	GCA1-41/9	GCA1-41/10	GCA1-41/11	GCA1-41/12
2	41		GCA2-41/7	GCA2-41/8	GCA2-41/9	GCA2-41/10	GCA2-41/11	GCA2-41/12
3	41			GCA3-41/8	GCA3-41/9	GCA3-41/10	GCA3-41/11	GCA3-41/12
4	41			GCA4-41/8	GCA4-41/9	GCA4-41/10	GCA4-41/11	GCA4-41/12

Sibille Electrical Insulating Gloves Class 00 - Class 4 (GLB*)

latex electrical insulating gloves · protection against electrical hazards · ergonomic shape · easy to put on and remove

CE 0333
EN 60903 / IEC 60903

Features
- Natural rubber latex electrical insulating gloves
- Ergonomic shape
- Tested to EN 60903 and IEC 60903
- Sibille Leather Over Gloves available
- Thin and dexterous
- Available in size 6* - 12

**size 6 available in class 00 and class 0 only*

Sectors
- Utilities
- Construction
- Automotive
- Rail

Packaging:
1 pair per polybag

Class	Category	Thickness (mm)	Proof test voltage (V) / AC	Max operating voltage (V) / AC
00	AZC	< 1,1	2 500	500
0	AZC	< 1,6	5 000	1 000
1	RC	< 2,1	10 000	7 500
2	RC	< 2,9	20 000	17 000
3	RC	< 3,5	30 000	26 500
4	RC	< 4,2	40 000	36 000

Order Codes | Sizing:

Class	Length	Sizes						
	(cm)	6	7	8	9	10	11	12
00	36	GLB00-36/6	GLB00-36/7	GLB00-36/8	GLB00-36/9	GLB00-36/10	GLB00-36/11	GLB00-36/12
0	36	GLB0-36/6	GLB0-36/7	GLB0-36/8	GLB0-36/9	GLB0-36/10	GLB0-36/11	GLB0-36/12
1	36		GLB1-36/7	GLB1-36/8	GLB1-36/9	GLB1-36/10	GLB1-36/11	GLB1-36/12
2	36		GLB2-36/7	GLB2-36/8	GLB2-36/9	GLB2-36/10	GLB2-36/11	GLB2-36/12
3	36			GLB3-36/8	GLB3-36/9	GLB3-36/10	GLB3-36/11	GLB3-36/12
4	41			GLB4-41/8	GLB4-41/9	GLB4-41/10	GLB4-41/11	GLB4-41/12

Sibille Ancillary Range (RGX*)

an ancillary range of products for use in conjunction with Sibille Electrical Insulating Gloves by Unigloves

Sibille RGX-SG Leather Over Gloves

Features
- Manufactured from quality leather
- Adjustable VELCRO® strap
- Offering mechanical protection for electrical insulating gloves
- The cowhide leather is treated with silicone

Colour: Cream / Grey
Packaging: 1 pair
Sizes: A - G (6 to 12)
EN388: 2122X
EN407: 4XXXXX

VELCRO® is a registered trademark of Velcro Industries B.V.

Sibille RGX-VP Portable Inflator

Features
- Recommended for field inspection before/after each use but also for visual periodic inspection

Packaging: 1 unit
Sizes: 6 to 12
EN388: 2121

Sibille RGX-SAC Protective Bag

Features
- Carry handle and inner pocket
- Fabric reinforced with PVC

Colour: Black / Orange
Dimensions: 45cm x 18cm

Sibille RGX-FT Talcum Powder

Features
- 100ml Bottle

Colour: White

Sibille RGX-1704 Rubber Cleaning Fluid

Features
- 750 ML Bottle

Colour: White

Sibille RGX-BG Insulating Gloves Storage Case

Features
- Plastic box suitable for any insulating gloves from class 00 to class 4
- Equipped with 4 pre-drilled holes on rear panel
- Transparent anti-UV window
- Large interior volume
- Large enough to accommodate extra items
- Integrated and retractable handle
- Equipped with a glove retention tab

Colour: Orange / Clear

Sibille RGX-BGT Insulating Gloves Storage Case + Talcum Powder

AS PER RGX-BG INCLUSIVE OF TALCUM POWDER

Sibille RGX-SGL Protective Bag - Extra Long

Features
- Carry handles, two inner pockets (81x26cm)
- Fabric reinforced with PVC resistant finish

Colour: Black / Orange
Dimensions: 81cm x 26cm

Sibille RGX-GCT Cotton Under Gloves

Features
- Natural cotton
- Use under electricians insulating gloves for comfort

Colour: Natural
Packaging: 10 pairs by size

Sibille RGX-MC Fingerless Cotton Under Gloves

Features
- Natural cotton
- Use under electricians insulating gloves for comfort

Colour: Natural
Packaging: 10 pairs by size

Sectors: Utilities • Construction • Automotive • Rail

disposables

Page 46 Advanced Range

Page 46 PRO.TECT Range

Page 47 Pearl Range

Page 48 Unicare Range

Page 49 Derma Shield

Page 49 Unigloves Hand Gels

At Unigloves, we are best known for being experts in single use hand protection. This product guide heavily features our new range of reusable gloves and only highlights our best sellers from our disposable gloves. We offer one of the widest range of single use gloves on the planet. To see our full range, please visit our website: **www.unigloves.co.uk**

Advanced

The Unigloves Advanced series of gloves, is our promise to those who value their hands highly enough to demand the best quality gloves available. Designed to reflect the demands of the most exacting of industry sectors and benefiting from Unigloves' proprietary extended hand-crafted manufacturing process, this range of gloves are significantly easier to don and remove without irritating the skin.

BEST SELLERS

Kooltouch

GM004*

offline washed · chemical tested · blue medical grade · medium weight · nitrile examination gloves

Order Codes | Sizing:
GM0041 | XS (6)
GM0042 | S (7)
GM0043 | M (8)
GM0044 | L (9)
GM0045 | XL (10)

Stronghold

GM006*

AQL 0.65 · chemical tested · purple chemotherapy drug tested · medical grade · heavy weight · nitrile examination gloves

Order Codes | Sizing:
GM0061 | XS (6)
GM0062 | S (7)
GM0063 | M (8)
GM0064 | L (9)
GM0065 | XL (10)

Stronghold+

GM007*

extended cuff · AQL 0.65 · enhanced chemical splash protection · silicone free purple · medical grade · heavy weight nitrile · unique Unigloves' formulation single use gloves

Order Codes | Sizing:
GM0071 | XS (6)
GM0072 | S (7)
GM0073 | M (8)
GM0074 | L (9)
GM0075 | XL (10)

PRO.TECT

Unigloves PRO.TECT heavy and ultra heavy-duty gloves feature an ergonomic grip and score maximum points for dexterity in international tests. Ideal for use with brake fluid, thinners, Diesel and oil, the PRO.TECT range has been independently tested for chemical permeation by SATRA, experts in PPE certification and testing. The PRO.TECT range is suitable for industrial environments.

BEST SELLERS

PRO.TECT Black

GA004*

silicone free · chemical tested · black heavy weight · nitrile · single use gloves

Order Codes | Sizing:
GA0042 | S (7)
GA0043 | M (8)
GA0044 | L (9)
GA0045 | XL (10)

PRO.TECT Green HD+

GA009*

extended cuff · enhanced chemical splash protection · silicone free · green heavy duty · unique Unigloves' formulation · single use gloves

Order Codes | Sizing:
GA0091 | XS (6)
GA0092 | S (7)
GA0093 | M (8)
GA0094 | L (9)
GA0095 | XL (10)

PRO.TECT Orange HD

GA005*

silicone free · diamond textured chemical tested · orange · ultra heavy weight · nitrile · single use gloves

Order Codes | Sizing:
GA0052 | S (7)
GA0053 | M (8)
GA0054 | L (9)
GA0055 | XL (10)

Pearl

Gloves don't have to be blue or white. With a selection of fifteen colours, Unigloves Pearl is a selection of coloured nitrile gloves so you can colour-code in any environment.

Pearl has been designed with functionality in mind by offering a series of colours suitable for colour -coding in the work environment to help avoid cross-contamination.

BEST SELLERS

Black Pearl

black · medical grade · medium weight nitrile · examination gloves

Order Codes | Sizing:
GP0031 | XS (6)
GP0032 | S (7)
GP0033 | M (8)
GP0034 | L (9)
GP0035 | XL (10)

Green Pearl

green · medical grade · medium weight · nitrile · examination gloves

Order Codes | Sizing:
GP0042 | S (7)
GP0043 | M (8)
GP0044 | L (9)
GP0045 | XL (10)

Pink Pearl

pink · medical grade · medium weight nitrile · examination gloves

Order Codes | Sizing:
GP0051 | XS (6)
GP0052 | S (7)
GP0053 | M (8)
GP0054 | L (9)
GP0055 | XL (10)

BEST SELLERS

Red Pearl

red · medical grade · medium weight · nitrile · examination gloves

Order Codes | Sizing:
GP0062 | S (7)
GP0063 | M (8)
GP0064 | L (9)
GP0065 | XL (10)

Violet Pearl

violet · medical grade · medium weight · nitrile · examination gloves

Order Codes | Sizing:
GP0071 | XS (6)
GP0072 | S (7)
GP0073 | M (8)
GP0074 | L (9)
GP0075 | XL (10)

Yellow Pearl

yellow · medical grade · medium weight · nitrile · examination gloves

Order Codes | Sizing:
GP0112 | S (7)
GP0113 | M (8)
GP0114 | L (9)
GP0115 | XL (10)

Unicare

Unigloves Unicare range has been developed especially to provide exceptional levels of comfort and come in nitrile, vinyl, vinyl/nitrile blend, latex, TPE and polythene.

Our Unicare gloves are medical grade and particularly suited for use in medical applications, dental and veterinary care.

Unicare Nitrile (100)

BEST SELLERS

blue · medical grade · light weight · nitrile · examination gloves

Order Codes | Sizing:
GS0031 | XS (6)
GS0032 | S (7)
GS0033 | M (8)
GS0034 | L (9)
GS0035 | XL (10)

Unicare Clear Vinyl (EN455)

clear · medical grade · medium weight · vinyl examination gloves

Order Codes | Sizing:
GS0062-A | S (7)
GS0063-A | M (8)
GS0064-A | L (9)
GS0065-A | XL (10)

Unicare Blue Vinyl (EN455)

BEST SELLERS

blue · medical grade · medium weight · vinyl · examination gloves

Order Codes | Sizing:
GS0082-A | S (7)
GS0083-A | M (8)
GS0084-A | L (9)
GS0085-A | XL (10)

Unicare Latex

natural · medical grade · medium weight · latex examination gloves

Order Codes | Sizing:
GS0011 | XS (6)
GS0012 | S (7)
GS0013 | M (8)
GS0014 | L (9)
GS0015 | XL (10)

Universal Holder Dracula

wall mounted holder for glove, face mask and tissue boxes with "teeth" which automatically adjust to hold any size of box firmly in place

Order Codes | Colour:
DH0001 | White

Packaging:
50 pieces per box

Derma Shield

What is Derma Shield?

Forget traditional barrier creams; Derma Shield is the solution that skin's been waiting for as it:

1) Moisturises, 2) Nurtures and 3) Protects.

Derma Shield is CE marked and manufactured in the UK to Medical Device Standard ISO 13485:2016. Note: Derma Shield is not a glove substitute and can be worn in conjunction with gloves!

Who uses Derma Shield?

A vast range of things can cause skin problems. It could be oils, greases, coins, papers, skin sanitiser, inks, coolants, or just working outdoors in all weather. In short, Derma Shield can be used anywhere, including food processing, factories, construction sites, dentists, healthcare professionals, tattoo artists – the list goes on.

500ml
Derma Shield aerosol

Order Code: CANFULDSA0500UK

Case Quantity: 6

This size will last approximately **14 to 15 months** if used twice a day on an adult pair of hands.

150ml
Derma Shield aerosol

Order Code: CANFULDSA0150UK

Case Quantity: 12

This size will last approximately **4 to 5 months** if used twice a day on an adult pair of hands.

50ml
Derma Shield aerosol

Order Code: CANFULDSA0050UK

Case Quantity: 24

This size will last approximately **4 to 5 weeks** if used twice a day on an adult pair of hands.

Unigloves Hand Gels

Unigloves Hand Gel kills (in as little as 30 seconds) up to 99.99% of the common bacteria, fungi, yeast and viruses that can cause infection or illness. This alcohol-based hand gel or sanitiser contains Vitamin E to protect against drying and leaves hands soft yet instantly clean. This clear gel is fragrance-free and easy to dispense, avoiding any sticky residue.

sanitises · fast drying
cleans · moisturises
clear formula
antibacterial · hand gel

Order Codes | Sizing:
480ml | HG480
200ml | HG200
50ml | HG50

Packaging:
480ml | x 12
200ml | x 30
50ml | x 48

Product Index

Product	Code	Material	P. No
Work Glove Range			
General Handling			
Nitrex 290B	290B*	PU	18
Nitrex 290G	290G*	PU	18
Nitrex 360FC	360FC*	Nitrile	18
Nitrex 270NF	270NF*	Nitrile	19
Nitrex 270NFP	270NFP*	Nitrile	20
Nitrex 270NFG	270NFG*	Nitrile	21
Nitrex 250	250*	Nitrile	21
Nitrex 250FC	250FC*	Nitrile	21
Nitrex 270E	270E*	Nitrile	22
Nitrex 275D	275D*	Latex	22
Nitrex 275BG	275BG*	Latex	22
Cut Resistant			
Nitrex 241PF	241PF*	PU	24
Nitrex 245P	245P*	PU	25
Nitrex 241OR	241OR*	PU	25
Nitrex 241PC18	241PC18*	PU	26
Nitrex 241ND	241ND*	Nitrile	27
Nitrex 245N	245N*	Nitrile	27
Nitrex 340FCD	340FCD*	Nitrile	28
Nitrex 340RF	340RF*	Nitrile	29
Nitrex 340RFI	340RFI*	Nitrile	29
Nitrex 242D	242D*	Nitrile	30
Nitrex 244	244*	Uncoated	32
Nitrex 247S	247S*	Uncoated	32
Chemical Resistant			
Nitrex 613	613*	Nitrile	34
Nitrex 612	612*	Nitrile	34
Nitrex 440	440*	Latex	35
Nitrex 680	680*	Latex	36
Nitrex 645	645*	Latex	36
Thermal			
Nitrex 370W	370W*	Nitrile	38
Nitrex 360FCT	360FCT*	Nitrile	40
Nitrex 299T	299T*	Latex	40
Specialist			
Sibille Electrical Insulating Arc Flash Gloves Class 00 - Class 4	GCA*	Latex	42
Sibille Electrical Insulating Gloves Class 00 - Class 4	GLB*	Latex	43
Specialist (Sibille Ancillary Range)			
Sibille RGX-SG Leather Over Gloves	RGX-SG	Latex	44
Sibille RGX-VP Portable Inflator	RGX-VP	Latex	44
Sibille RGX-SAC Protective Bag	RGX-SAC	Latex	44
Sibille RGX-FT Talcum Powder	RGX-FT	Latex	44
Sibille RGX-1704 Rubber Cleaning Fluid	RGX-1704	Latex	44
Sibille RGX-BG Insulating Gloves Storage Case	RGX-BG	Latex	44
Sibille RGX-BGT Insulating Gloves Storage Case + Talcum Powder	RGX-BGT	Latex	44
Sibille RGX-SGL Protective Bag - Extra Long	RGX-SGL	Latex	44
Sibille RGX-GCT Cotton Under Gloves	RGX-GCT	Latex	44
Sibille RGX-MC Fingerless Cotton Under Gloves	RGX-MC	Latex	44

Product	Recommended	Code	Material	P.No
Disposable Range Best Sellers				
Advanced				
Kooltouch	Laboratory / Scientific	GM004*	Nitrile	46
Stronghold	Laboratory / Scientific	GM006*	Nitrile	46
Stronghold+	Laboratory / Scientific	GM007*	Nitrile	46
PRO.TECT				
PRO.TECT Black	Automotive / Industrial	GA004*	Nitrile	46
PRO.TECT Orange HD	Automotive / Industrial	GA005*	Nitrile	46
PRO.TECT Green HD+	Automotive / Industrial	GA009*	Nitrile	46
Pearl				
Black Pearl	Food / Dental / Hair & Beauty	GP003*	Nitrile	47
Green Pearl	Food / Dental / Hair & Beauty	GP004*	Nitrile	47
Pink Pearl	Food / Dental / Hair & Beauty	GP005*	Nitrile	47
Red Pearl	Food / Dental / Hair & Beauty	GP006*	Nitrile	47
Violet Pearl	Food / Dental / Hair & Beauty	GP007*	Nitrile	47
Yellow Pearl	Food / Dental / Hair & Beauty	GP011*	Nitrile	47
Unicare				
Unicare Nitrile (100)	Medical / Janitorial / Food	GS003*	Nitrile	48
Unicare Clear Vinyl (EN455)	Medical / Janitorial / Food	GS006*-A	Vinyl	48
Unicare Blue Vinyl (EN455)	Medical / Janitorial / Food	GS008*-A	Vinyl	48
Unicare Latex (EN455)	Medical / Janitorial / Food	GS001*	Latex	48
Holders & Dispensers				
Universal Holder Dracula	Medical / Janitorial / Food	DH0001	Plastic	48

Product	Code	P.No
Skincare Range		
Derma Shield		
Derma Shield Aerosol - 50ml	CANFULDSA0050	49
Derma Shield Aerosol - 150ml	CANFULDSA0150	49
Dermashield Aerosol - 500ml	CANFULDSA0500	49
Unigloves Hand Gels		
Hand Gel with Vitamin E - 50ml	HG50	49
Hand Gel with Vitamin E - 200ml	HG200	49
Hand Gel with Vitamin E - 480ml	HG480	49

If you would like further information on our wide range of products and services, or require samples and prices, please contact our team:

enquiries@unigloves.co.uk

+44 (0)800 049 6602

** The last digit of the order code is dependent on the glove size, e.g 1 = X/Small, 5= X/Large. (N.B. Not all gloves are available in XS or XL)*

UNIGLOVES®

GLOVE SIZING GUIDE

Wearing the right size glove is important.

Tight gloves can restrict dexterity, cause discomfort and hand fatigue. Loose gloves that don't have the requisite stretchiness represent a safety hazard to users and also can result in unnecessary fatigue.



Size 06 | XS
Size 07 | S
Size 08 | M
Size 09 | L
Size 10 | XL
Size 11 | XXL
Size 12 | 3XL

Please note that this guide should be printed on A4 at actual size, as using enlarge or fit to page settings will change the size of the guide. Use the printed ruler to check it has been printed the correct size.

To determine your glove size, place your left hand over the image above, with your thumb to the right and fingers closed. Measure your hand across the widest point as depicted.

We recommend that you try gloves prior to use to ensure the best fit.

KEEPING YOU SAFE

UNIGLOVES®
KEEPING YOU SAFE

Headquarters:
3 Ambley Green,
Gillingham Business Park,
Gillingham, ME8 0NJ, UK

unigloves.co.uk

enquiries@unigloves.co.uk

+44 (0)800 049 6602

Northern Office:
Suite 7, Brooklands Court,
Tunstall Road, Leeds,
LS11 5HL, UK

Registered office:
37 St Margaret's Street,
Canterbury, Kent, CT1 2TU, UK
Registered in England No. 04010200
VAT registration 791817787

SUBSIDIARIES OF THE
UNIGLOVES®
UG HEALTHCARE GROUP
ughealthcarecorporation.com

Neither this document nor any other statement made herein by or on behalf of Unigloves should be interpreted as a guarantee of marketability or that any Unigloves product is fit for a particular purpose. Unigloves accepts no responsibility for the adequacy or suitability of a user's selection of gloves for their intended application.

2,500 | 06.21

© Unigloves UK Limited, 2021